


**TOHO
STUDIOS**

We are here to make it realized.

No.4 STAGE

ver. 2012

Specs of No.4st.							
1.	Size	Length	28,865mm / 94.70ft.	5.	Cyclorama	–	
		Width	22,325mm / 73.24ft.	6.	Hooks for wire action	○	
		Height	FL+8,900mm / FL+29.20ft.	7.	Mains Power	Three-phase system (200V/60A)	
2.	Floor	Stage	Concrete with protection against dust	8.	Power Supply	Single-phase three-wire system (600A)	
		C.W.	Steel grating	9.	Lighting Hoists	○ (25)	
3.	Outside Door (Shutter)	Effective dimentions of door opening		10.	Valve for water	○ (65 ϕ)	
		W:4,510mm×H:5,495mm / W:14.8ft.×18.0ft.		11.	Drain pipes	○	
4.	Inside Door (Double Door)	Effective dimentions of door opening					
		W:4,130mm×H:5,410mm / W:13.5ft.×17.7ft.					



PAPER SIZE A3

PLOT PLAN (P-1/5)

NOTICE


TOHO STUDIOS
東宝スタジオ
1-4-1361 JO SETAGAYA-KU TOKYO
新宝映画グループ


No.4
STAGE

SIZE
644.5m²
SCALE

TITLE
PRODUCTION

DESIGNER
DATE







PAPER SIZE A3 © Hoist No. is corrected: 2015.3.10

CATWALK LEVEL PLAN (P-3/5)

NOTICE	①	Electrical supply point	⑤	Power switch for Hoists	 東宝スタジオ <small>1-4-1561 JO SETAGAYA-KU TOKYO</small> <small>新宝興業株式会社グループ</small>	No.4 STAGE	SIZE 644.5m ²	TITLE	DESIGNER
	②	Mains Power three-phase system(200V/60A)					SCALE 1/100	PRODUCTION	DATE
	③	Ventilation fan							
	④	Fire hydrant							



PAPER SIZE A3

A SECTIONAL VIEW 【NARROW SIDE】 (P-4/5)

NOTICE	①	The upper limit of the movable range				TONHO STUDIOS  東宝スタジオ <small>1-4-1561 JO SETAGAYA-KU TOKYO</small> <small>新宝興業株式会社グループ</small>	No.4 STAGE	SIZE	644.5m ²	TITLE	DESIGNER
	②	The middle of the movable range						SCALE	1/100	PRODUCTION	DATE
	③	The lower limit of the movable range									
	④	Controller of Hoists									

